

Technical Fact Sheet



Pacesetter Extra

Pacesetter Extra is the benchmark for runnability and versatility. It is exceptional on all fronts, with a super smooth ultra white surface it promises to enhance your creative vision. With terrific bulk and dimensional stability, faster press speeds are achieved and importantly due to a proprietary formula shorter drying times are obtained.



Spicers Key Icons

[Download Spicer's icons](#)

Technical Fact Sheet



Print Process

- Sheet fed offset
- Laser guaranteed
- Dry toner
- Die cutting
- Scoring / creasing / folding
- Laminating
- Embossing
- Foiling
- Punching

Important Note

All statements, technical information are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for it's intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Features

- Premium Bright White Surface
- High Smoothness
- Luxury Feel
- PEFC certified
- Uniform shade across all grammages
- Great bulk and stiffness
- Extensive grammage range

Application Text

- Letterheads
- Company reports
- Direct Mail
- Invitations
- Magazines
- Marketing material
- Envelopes
- Stationery

Technical Fact Sheet



Technical Data

Technical Fact Sheet



| Grammage Gsm | Thickness Um | Whiteness CIE | Brightness ISO% | Smoothness Sec/10ml (±10) | Opacity % |
|-----------------|-----------------|------------------|--------------------|------------------------------|--------------|
| 70 | 90 | 160 | 98.5 | 47 | 90 |
| 80 | 100 | 160 | 98.5 | 47 | 92 |
| 90 | 112 | 160 | 98.5 | 47 | 93 |
| 100 | 125 | 160 | 98.5 | 45 | 95 |
| 110 | 138 | 160 | 98.5 | 45 | 96 |
| 120** | 151 | 160 | 98.5 | 45 | 97 |
| 140 | 174 | 160 | 98.5 | 45 | 98 |
| 150 | 182 | 160 | 98.5 | 45 | 98 |