

Technical Fact Sheet



3M 180mC

<p>3M 180mC is a pressure activated adhesive for easy sliding, tacking, snap-up and repositioning. Indoor and Outdoor graphics and signs, including point of purchases and displays. Film series 180mC with micro Comply Adhesive has non-visible air release channel installations.
</p>



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity

Technical Fact Sheet



of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Features

- Excellent hiding power
 - Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
 - Expected Performance Life of 10 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
 - Conforms to flat surfaces, with and without rivets, simple curves, compound curves and corrugations
 - Film series 180mC with micro Comply™ Adhesive has non-visible air release channels for fast and easy, bubble-free graphic installations
-

Printing Tips

- Great for commercial vehicles, straight trucks, semi-trucks and semi-trailers, bus graphics, emblems or striping
- Great for indoor and outdoor graphics and signs, including point-of-purchase and displays

Technical Fact Sheet



- Great for small format original equipment manufacturers (OEM) decorative and identification graphics, cautionary and safety labeling

Technical Fact Sheet



Technical Data

[Download 3M 180mC technical data](#)

Technical Fact Sheet

