

Technical Fact Sheet



Pacesetter Self Adhesive Cast Coated

Pacesetter Self Adhesive Cast Coated is a one-sided cast coated paper, with a mirror-like finish that produces excellent print results through its high gloss and whiteness.



Features

- High gloss, white, smooth, mirror like finish
- Acrylic permanent, removeable, freezer and wine permanent adhesives
- Digital sheets available
- Split back runs 50mm apart parallel with grain direction

Technical Fact Sheet



Spicers Key Icons

[Download Spicer's icons](#)

Application Text

- High impact labels and signage
- Large window stickers
- POS advertising
- Promotional and general labelling

Printing Tips

Pacesetter Cast Coated Self Adhesive has a smooth gloss finish with a mirror like appearance. The substrate should be free of dust and oil before printing. Please use once unwrapped, and if there are sheets remaining, wrap and seal carefully in original packaging. This product should be tested thoroughly to ensure it meets the requirement of the specific application.

We always recommend that the sheet is test and trialled before commencing a print job. This is to determine that the sheet is suitable for the particular machine and the particular print job.

Technical Fact Sheet



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Storage

Shelf life is 2 years when stored at 23 oC, 50 % RH, in the original packaging.

Print Process

- Letterpress
- Offset
- Flexography

Technical Fact Sheet



- Silkscreen
- Hot Foil Stamping
- UV Varnish

Size Availability

Options	Type	GSM
---------	------	-----

Permanent, Freezer, Removable, Wine Solid, Split 80		
---	--	--

Technical Fact Sheet



Technical Data

Cast Coated Solid/Split Cast Coated Removable Cast Coated Freezer Cast Coated Wine Cast Coated Heavyback

Face Stock

Grammage (gsm)	84	84	84	84	84
Calliper (um)	86	86	86	86	86

Adhesive

Composition	Acrylic	Acrylic	Acrylic	Acrylic	Acrylic
Initial Tack (N/25mm)	6.9	1.5	6.9	6.9	6.9