

Technical Fact Sheet



Ace Screenboard FSC Offset (S)

A twin sided display board intended primarily for screen printing, the triple coated surface provides superior printing characteristics. Ace Screenboard also has outstanding bulk, thickness and stiffness qualities.



Size Availability

Technical Fact Sheet



Features

- Premium, high white, twin sided display board
- Super smooth surface enhances print results
- Very rigid and dimensionally stable board with a white centre
- Outstanding bulk, thickness and stiffness qualities
- FSC® Certified (licensed code FSC® C010628)
- Fully Recyclable
- Biodegradable
- HP Certified for Latex inks

Application Text

- Counter Cards
- POS
- Promotional Cards
- Hanging Signs
- Sample Cards
- Internal Signage

Technical Fact Sheet



Print Process

- Screen and UV ink curable
- Also suitable for offset printing in lower substances

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Spicers Key Icons

Technical Fact Sheet



Technical Data

Technical Fact Sheet



Properties	UOM	Test method	Results					
Thickness	UM		± 10%	1000	1500	2000	2500	2900
Grammage	GSM		± 10%	620	880	1100	1400	1540
Bending stiffness MD	mNm	DIN 53121	-15%	1050		**	**	
Bending Stiffness CD	mNm	DIN 53121		485		**	**	
Scott bond	J/m2		Min	100	120			
Cobb 60. Gsm			Max	60	30			
Brightness	%	ISO (R457)	Mib	82.5	85.5			
Gloss 75°	%			40				