

Technical Fact Sheet



GF SAV TrafficGraphic

GF 212 Traffic Graphic® is an 85 microns polymeric matt white calendered vinyl, designed to adhere to common commercial carpets and allow for easy and clean removability of the graphic. The liner offers excellent product layflat in a variety of ambient conditions along with ease of application of large format graphics.



Print Process

Eco-Solvent, Latex and UV Curable inks

Features

Technical Fact Sheet



- White matte calendered vinyl
- Removable acrylic adhesive
- Printable via solvent, eco-solvent, UV and latex inks
- Compatible with slip-rated overlaminates
- Designed for temporary indoor floor applications

Application Text

- Indoor floor graphics and decals
- Point-of-purchase promotions
- Wayfinding signage
- Retail and supermarket floor ads
- Trade shows and exhibitions
- Event and stadium graphics

Technical Fact Sheet



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

[Refer to the General Formulations Technical Data Sheet](#)

Technical Fact Sheet

