

Technical Fact Sheet



Stickler PP White TC AP901

Stickler PP White TC AP901 is an ultra-white polypropylene top-coated label film with AP901 adhesive, designed for ultimate application conformation across varied surfaces. Delivering a high-white gloss surface compatible with inkjet, offset, and digital processes, it is ideal for product labels, cosmetics, and food and beverage packaging.



Application Text

Recommended for labels where a durable face stock is required, eg Prime labels for body care, household chemicals, appliance, toys etc.

Technical Fact Sheet



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Backing

WG 1side siliconised supercalendered white glassine

Grammage 65gsm

Caliper 56 microns

Transparency > 40%

Technical Fact Sheet



Technical Data

Face Material:

Technical Fact Sheet



Properties Test Method Result

Grammage ISO 536 54 g/m²

Caliper ISO 534 60 microns

Technical Fact Sheet



Adhesive:

AP901 General Purpose Permanent: Permanent pure acrylic adhesive designed for films. Featuring high cohesion, good clarity and very good performance on non-comparable substrates (PE,PP), ISEGA certified for direct food contact.

Properties	Test Method
Composition	Water based acrylic
Direct sunlight resistance	Excellent
Cohesion	High
Application temperature	-5 degrees celsius
Service temperature	-40 to 120 degrees celcuis