

# Technical Fact Sheet



## Stickler PP White TC AP901

Stickler PP White TC 60 white gloss is a ultra white polypropylene top coated film designed for ultimate label application conformation on many difficult and contoured surfaces. Supplied with a clean crisp white finish for optimum screen and print tone resolution.



---

### Application Text

Recommended for labels where a durable face stock is required, eg Prime labels for body care, household chemicals, appliance, toys etc.

# Technical Fact Sheet



---

## Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

---

## Backing

**WG 1side siliconised supercalendered white glassine**

Grammage 65gsm

Caliper 56 microns

Transparency > 40%

# *Technical Fact Sheet*



## **Technical Data**

**Face Material:**

# Technical Fact Sheet



## Properties Test Method Result

Grammage ISO 536 54 g/m<sup>2</sup>

Caliper ISO 534 60 microns

# Technical Fact Sheet



## Adhesive:

AP901 General Purpose Permanent: Permanent pure acrylic adhesive designed for films. Featuring high cohesion, good clarity and very good performance on non-comparable substrates (PE,PP), ISEGA certified for direct food contact.

## Properties

## Test Method

Composition

Water based acrylic

Direct sunlight resistance Excellent

Cohesion

High

Application temperature -5 degrees celsius

Service temperature

-40 to 120 degrees celcuis