

Technical Fact Sheet



OLT Cast Gloss R80 (Removable)

OLT Cast Gloss R80 (Removable) is a cast coated label paper intended for premium quality promotional and point of sales labelling. The label paper is designed to give excellent conversion and dispensing due to it's relatively high rigidity. Care should be taken when labelling curved surfaces.



Application Text

- Premium quality promotions,
- Point of sale.

Technical Fact Sheet



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Print Process

OLT Cast Gloss can be printed by rotary and flatbed letterpress, flexography, offset, and screen processes. Foil blocking, varnishing and thermal transfer are also possible using suitable inks and ribbons.

Backing

Backing: **WG White Glassine** backing allows high speed conversion and consistent dispensing on a wide range of equipment.

Properties Test Method Result

Technical Fact Sheet



Grammage 62 gsm ISO 536

Caliper 53 microns ISO 534

Technical Fact Sheet



Technical Data

Face Material:

Technical Fact Sheet



| Properties | Test Method | Result |
|------------|-------------|--------|
|------------|-------------|--------|

| | | |
|----------|---------|--------------------|
| Grammage | ISO 536 | 84g/m ² |
|----------|---------|--------------------|

| | | |
|---------|---------|------------|
| Caliper | ISO 534 | 86 microns |
|---------|---------|------------|

| | | |
|------------|----------|-----|
| Brightness | ISO 2470 | 88% |
|------------|----------|-----|

| | | |
|------------|----------|--------------|
| Smoothness | ISO 5627 | 190 sec/10ml |
|------------|----------|--------------|

Adhesive: R80 Removable

A water bourne acrylic emulsion formulated for general purpose removability. R80 displays good removability on most surfaces, especially on glass, plastic and metal without leaving glue residue.