

Technical Fact Sheet



Verdure Lustre Premium

Verdure Lustre Premium is a high gloss white cast coated paper. It's mirror finish provides ideal contrast and brilliance for a multitude of label uses. Particularly suited to high quality, multi coloured labels, with exceptional mechanical and humidity resistance.



Application Text

- Prestige point of sale labels for household goods and cosmetic packaging
- Eye catching wine labels to best represent the wine inside the bottle
- High Class beverage and food stuff labelling where a lasting crisp finish kends itself to the image of the product

Technical Fact Sheet



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Print Process

Compatible with all print methods such as letterpress, offset, flexography, silkscreen, hot foil stamping, UV varnishing and thermal transfer printing.

Backing

DG7W

White glassine backing, convenient for the high speed printing and printing and stripping of both rotary and flat bed letterpress labels. It's thickness, stability and hardness ensures excellent performance with label printing machines and automatic applicators.

Grammage 72 gsm

Technical Fact Sheet



Caliper 62 microns

Tensile Strength MD Min 7.0kg/15mm

Tensile Strength CD Min 4.5kg/15mm

Technical Fact Sheet



Technical Data

Face Material:

Technical Fact Sheet



Properties Test Method Result

Grammage ISO 536 85 ± 5 g/m²

Caliper ISO 534 94 ± 5 microns

Adhesive: C58 Chill permanent

A water bourne acrylic emulsion with excellent initial and final tack. A superior cold temperature adhesive with superior adhesive force where condensation is present. Adheres easily with minimal pressure – excellent initial tack and final tack.

Composition Water bourne acrylic

Initial tack N/25mm FTM 9 14.3 (allowance 11.3 ≤)

Final tack N/25mm FTM 14.3 (allowance 11.3 ≤)