

# Technical Fact Sheet



## Eska Board

European manufactured, this uncoated grey board is FSC® certified (licensed code FSC® C010628) and PEFC certified. With superior flatness and rigidity for easy processing, excellent results are achieved when applying either plastic film, high gloss paper or textiles to its even surface



---

## Features

- A European manufactured uncoated grey board
- Superior flatness and rigidity for easy processing
- FSC® certified (licensed code FSC® C010628).
- 100% PEFC certified
- Manufactured from 100% post-consumer waste
- Excellent results are achieved when applying either plastic film, high gloss paper or textiles thanks to its even surface

# Technical Fact Sheet



---

## Spicers Key Icons

[Download Spicer's icons](#)

---

## Application Text

- Albums
- Book covers
- Book-binding
- Display and packaging
- Game boards and boxes
- Lever arch files
- Puzzles
- Ringbinders

---

## Important Note

# Technical Fact Sheet



All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

---

## Size Availability

Colour	GSM	UM
Brown	1105, 1510	1750, 2400

# *Technical Fact Sheet*



## Technical Data

# Technical Fact Sheet



Properties	UOM	Test method	Results			
Grammage	GSM	ISO 536	1105	1420	1510	1890
Caliper	um	ISO 534	1750	2250	2400	3000
Dynamic Stiffness MD	mNm	ISO 5629	1175	2240	2635	4575
Dynamic Stiffness CD	mNm	ISO 5629	530	1060	1265	2330
Bursting Strength	kPa	ISO 2759	1005	1210	1285	1615