

Technical Fact Sheet



Stickler TT Matt RP1011

Stickler TT Matt RP1011 is a matt coated paper designed for premium print reproduction and thermal transfer applications.



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Backing

WG62 One sided siliconised glassine liner

Properties	Test Method	Result
------------	-------------	--------

Grammage	ISO 536	62 gsm
----------	---------	--------

Thickness	ISO 534	55 microns
-----------	---------	------------

Technical Fact Sheet



Technical Data

Face Material:

Technical Fact Sheet



Properties Test Method Result

Grammage ISO 536 73 g/m²

Thickness ISO 534 76 µm

Technical Fact Sheet



Adhesive: RP1011 Rubber Permanent

Rubber based permanent adhesive with high grammage and high tack and adhesion on difficult and non-comparable (PE, PP) substrates.

Properties	Test Method
Composition	Rubber permanent
Shear	Very high
Application temperature °C	0 °C (minimum)
Service temperature °C	-10 to +70 °C
Tack FTM 9	19N/Inch ²