

Technical Fact Sheet



Mimaki LUS-150 Ink

Mimaki LUS-150 Flexible UV Ink is specifically designed for use with the desktop UV-UJF and UV-JFX Mimaki printers. The LUS-150 UV product is a standard performance ink with a "flexible" touch - meaning it still provides all the expected capabilities of UV printer ink, but is optimised to meet demands for soft/flexible media and substrates. The ink is designed to be less "tacky" but still resistant to cracking, even with secondary processing.



Features

- Vibrant colour results
- 1.5x the flexibility of conventional UV inks
- Flexible UV-ink, optimised for printing on substrates where secondary processing is required (eg bending, twisting)
- Environmentally friendly ink
- Virtually instant curing and drying post-print

Technical Fact Sheet



Application Text

- Designed to print on various substrates such as metal, glass and wood
- Most suited to being applied to substrates where print needs to be bended and twisted to shape
- Available in 1L bottles and 7 different colours

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

[Visit Mimaki LUS-150 Ink Product Page](#)

Technical Fact Sheet



Technical Fact Sheet

