

# Technical Fact Sheet



## Rodure Pullup PVC 420 G/Back

Rodure Pullup PVC 420 G/Back is a textured lustre, white PET/PVC 420gsm composite film with a grey blockout reverse. The textured lustre finish results in an anti-scratch & high-resolution surface.



---

### Features

- Tear resistant & dimensionally stable lay flat film
- Perfect for fixed and portable banner systems
- Textured Lustre finish results in an anti-scratch & high-resolution surface

# Technical Fact Sheet



---

## Application Text

- Pullup banner
- Blockout

---

## Important Note

All values presented in this data sheet provide the general characteristics of the product. It is the responsibility of the customer and/or end user to determine that the product is fit for the specific application it is to be used for.

---

## Storage

The material must be stored at a temperature of 22°C +/- 2°C and 50% +/- 5% of relative humidity. Do not expose to direct sunlight. The area must be dry and clean. Please keep the material in the original packaging when not used in order to protect it from dust and contaminations.

# *Technical Fact Sheet*



## **Print Process**

### **INK COMPATABILITY – Printing on the white side on the film**

- Solvent
- Eco-Solvent
- UV-Curable

# *Technical Fact Sheet*



## Technical Data

# Technical Fact Sheet



Properties    Result

Base Material    PET/PVC

Colour/Finish    White/Textured Lustre

Thickness        325 $\mu$  ( $\pm$ 5)

Weight (GSM)    420gsm ( $\pm$ 5)

**Outdoor  
Life:**

General life times refer to the durability of the unprinted face film when subject to vertical exposure in temperate, non-extreme conditions. Actual performance life will depend on media and surface preparation and exposure conditions. For example the direction and angle of the sign; in areas of long, high temperature exposure; in areas of high pollution or high altitudes, outdoor performance will be decreased.