

Technical Fact Sheet



Manter Jade Intreccio Ultra

Manter Jade Intreccio Ultra is a premium paper made from pure white ECF pulp, with an embossed, pearlescent effect and an Ultra WS treatment. Specially designed for product labels of high added value and ideal for food and beverage labelling including wine, cosmetics and health care. Facestock is FSC® certified (licensed code FSC® C010628).



Features

- Water-based permanent acrylic adhesion
- Good adhesion to wet surfaces at low temperatures
- Especially designed for glass containers, with excellent resistance to immersion in water/ice
- FSC® certified (licensed code FSC® C010628)
- Product specially designed for high added value bottled in glass (wine, liquors, oil, water)

Technical Fact Sheet



Application Text

Used in food and beverage, cosmetic, health care and wine labelling.

Printing Tips

Manter Constellation Jade Intreccio Ultra is suitable for flexo, screen flexo, UV and offset printing. Not suited to narrow curved applications.

Important Note

All statements, technical information are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for it's intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Storage

2 years, under storage conditions as defined by FINAT section 2.5 (20-25°C, 40-50%RH). Prolonged storage at higher temperatures and / or humidity levels will shorten the shelf life of the product

Technical Fact Sheet



Technical Data

Front Label

Technical Fact Sheet



| | |
|-------------------|--|
| Reference | Manter Constellation Jade Intreccio Ultra WS |
| Grammage ISO 536 | 110 |
| Thickness ISO 534 | 120 |

Adhesive

| | |
|-------------------------|---|
| Reference | SH-6020 PLUS |
| General Characteristics | <p>Permanent acrylic water based adhesive. Good adhesion to wet surfaces at low temperatures. Especially designed for glass containers, with excellent resistance to immersion in water/ice.</p> <p>The research centre ISEGA has given the adhesive SH-6020 Plus approval according to the European requirements for indirect contact with foodstuffs and compliance with the rules of the Code of Federal Regulations, FDA, 21 CFR Ch.I. According to the FDA regulations the adhesive must be separated from the foodstuffs by a functional barrier.</p> |
| | |