

Technical Fact Sheet



Bauhaus 51 Proof 260

Bauhaus 51 Proof 260 is a FOGRA51 certified premium semi-matt microporous proofing paper. 51 Proof is your perfect paper white match according to ISO 12647-7:2013. This high-end, resin-coated proofing stock is also quick drying, wipe fast and has a wide colour gamut with a high batch to batch stability. The 260gsm also ensures accurate measurements due to no show through.



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Print Process

Compatibility: Aqueous (dye & pigment) , Indigo, Latex

Technical Fact Sheet



Technical Data

Technical Fact Sheet



| | Result | Unit | Standard |
|------------------|-----------|------------------|----------|
| Weight | 255 ± 10 | g/m ² | ISO 536 |
| Paper thickness | 270 ± 12 | µm | ISO 534 |
| Gloss 75 degrees | 52 ± 5 | % | ISO 8254 |
| Brightness | 91 ± 3 | % | ISO 2470 |
| Opacity | 96 ± 3 | % | ISO 2471 |
| Stiffness MD | 2.3 ± 0.8 | mN -m | ISO 2493 |

Technical Fact Sheet



| | | | |
|---------------------|-----------|------|----------|
| Stiffness CD | 1.3 ± 0.5 | mN-m | ISO 2493 |
| L* (temporary data) | 94.8 | | D50/2 |
| a* (temporary data) | 0.6 | | |
| b* (temporary data) | -4.3 | | |