

Technical Fact Sheet



Revive Rough SPI

Revive Rough SPI is a new premium digital printing paper, it is produced from 100% reclaimed fibres and comes with the eco-label "Blue Angel". In order to achieve brilliant printing results, which are not different from coated paper, a surface finishing is made. Let yourself be surprised by the sharp print images on Revive Rough SPI.



Features

- HP Indigo Certified - 3 star
- Printed products of high brilliance and contrast
- Excellent printability on both sides
- FSC certified

Technical Fact Sheet



Application Text

- Digital Printing
- Calendars
- Letter heads
- Posters
- Brochures
- Mailings
- Folders
- Direct Mail
- Swing tags
- Annual Reports

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Size Availability

| GSM | SIZE |
|-----|-----------|
| 120 | 330 x 483 |
| | 750 x 530 |
| 160 | 483 x 330 |
| | 530 x 750 |
| 300 | 483 x 330 |
| | 530 x 750 |
| 340 | 483 x 330 |
| | 530 x 750 |

Technical Fact Sheet



Technical Data

Technical Fact Sheet



| | Unit | 120 | 160 | 300 | 340 |
|---------------------|--------|---------|---------|---------|---------|
| Thickness | Micron | 170 | 220 | 410 | 470 |
| Tensile strength md | Kn/M | 7 | 10.15 | 18 | 12.6 |
| Tensile strength cd | Kn/M | 2.5 | 4.4 | 7 | 8.1 |
| Whiteness R457 | % | 100 | 100 | 100 | 100 |
| Whiteness CIE | % | 130 | 130 | 130 | 130 |
| Opacity | % | >90 | >96 | >95 | >99 |
| Ph Value Surface | | 8.5-9.5 | 8.5-9.5 | 8.5-9.5 | 8.5-9.5 |