

Technical Fact Sheet



Bauhaus True Rag Smooth

Do your Fine Art Prints justice with this True Rag Smooth. Use only the best 100% cotton rag media for your high quality fine art prints. The unique, stable and smooth surface makes it ideal for printing both black and white and colour photographs and art reproductions with impressive pictorial depth that will stand the test of time because it is free of any Optical Brighteners. The surface has a high, water resistance and can reproduce a high colour gamut.



Application Text

- Professional photography
- High-end photo prints
- Portfolio folders
- Exhibitions
- Professional photo albums

Technical Fact Sheet



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Print Process

Compatibility: Inkjet water based systems

For Printing Profiles please [click here](#).

Technical Fact Sheet



Technical Data

Technical Fact Sheet



	Result	Unit	Standard
Weight	307 ± 15	g/m ²	ISO 536
Paper thickness	430 ± 40	µm	ISO 534
Gloss BYK (60°)	15 ± 5	%	ISO 2813
Colour Elrepho UVO (D65)	<div>L</div> <div>97.3 ± 1.0</div> <div>a</div> <div>0.4 ± 0.5</div> <div>b</div> <div>2.0 ± 0.8</div> <div>delta b</div> <div>-0.4 ± 0.6</div>	%	ISO 2469
Opacity	96 ± 3	%	ISO 2471

Technical Fact Sheet



CIE whiteness (D65/10%) min	> 79	%	ISO 2469
Opacity min	> 98	%	ISO 2469