

# Technical Fact Sheet



## General Formulations Application Tape GF 851 Sign Mask

GF 851 Yellow Paint Mask vinyl is a 3.4 mil matte yellow vinyl coated with a removable acrylic pressure-sensitive adhesive on a 78# clay coated liner. The vinyl is formulated for ease of cutting while retaining resistance to common solvents encountered in typical spray paints and automotive finishes. In combination with the removable acrylic adhesive this product has the tack to withstand edge lifting in normal painting processes while removing cleanly after the paint has dried. The 78# bleached kraft liner provides an excellent base for plotter cut graphics and home craft applications.



---

### Features

- GF 851 Yellow Paint Mask vinyl is a 3.4 mil matte yellow vinyl coated
- Formulated for ease of cutting while retaining resistance
- The tack to withstand edge lifting in normal painting processes while removing cleanly after the paint has dried
- 78# bleached kraft liner provides an excellent base for plotter cut graphics and home craft applications

# Technical Fact Sheet



---

## Application Text

- WET APPLY
- DRY APPLY
- HOT STAMP
- DIE CUTTABLE
- HOT KNIFE
- THERMAL DIE
- FLATBED CUTTABLE
- CONTOUR CUTTABLE

---

## Printing Tips

- THERMAL TRANSFER

---

## Important Note

# *Technical Fact Sheet*



All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

# *Technical Fact Sheet*



## **Technical Data**

[Technical Data Sheet of General Formulations Application Tape GF 851 Sign Mask](#)

# *Technical Fact Sheet*

