

Technical Fact Sheet



GF SAV Static Cling 207 208



Application Text

GF 207

- POP/RETAIL
- WINDOW
- GENERAL SIGNAGE
- OUTDOOR (SHORT TERM)

Technical Fact Sheet



- INDOOR

GF 208

- POP/RETAIL
- WINDOW
- GENERAL SIGNAGE
- OUTDOOR (SHORT TERM)
- INDOOR

Printing Tips

GF 207

- SOLVENT
- ECO-SOLVENT
- LATEX
- UV CURABLE
- SCREEN

GF 208

- SOLVENT
- ECO-SOLVENT
- LATEX
- UV CURABLE

Technical Fact Sheet



- SCREEN

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

[GF SAV Static Cling_207](#)

[GF SAV Static Cling_208](#)

Technical Fact Sheet

