

Technical Fact Sheet



GF SAV 218 3yr WindowMark

GF 218 WindowMark™ Blockout is an 8.0 mil gloss white print media with dual-layer construction. GF 218 is designed to be 100% opaque and is excellent for window graphics and retail displays where total opacity and zero light transmission is required. GF 218 WindowMark™ Blockout is outdoor durable for up to three years and the clear removable adhesive is ideal for shorter-term promotions where clean removability is required.



Features

- 8.0 mil gloss white print media with dual-layer construction
- Designed to be 100% opaque and is excellent for window graphics & retail displays
- Outdoor durable for up to three years
- The clear removable adhesive is ideal for shorter-term promotions

Technical Fact Sheet



Application Text

- POP/RETAIL
- WINDOW
- GENERAL SIGNAGE
- OUTDOOR

Printing Tips

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Print Process

- SOLVENT
- ECO-SOLVENT
- LATEX
- UV CURABLE
- SCREEN
- OFFSET (UV CURABLE)

Please refer to [GF ICC Profiles](#)

Technical Fact Sheet



Technical Data

[Download GF SAV 218 3yr WindowMark technical data](#)

Technical Fact Sheet

