

Technical Fact Sheet



GF SAV 255 3yr Optimark



Features

- A 3.0 mil optically clear high gloss flexible calendared PVC film coated with an optically clear solvent removable pressure sensitive adhesive laminated to a 2.0 mil traction backed polyester liner
- Designed to accept a variety of solvent-based, UV curable and latex inks common to wide format digital printing systems
- Provides clean removal from glass for up to one year under normal exposure conditions
- Has a traction coating to aide in processing on common digital printers

Technical Fact Sheet



Application Text

- POP/RETAIL
- WINDOW
- FLEET (SHORT TERM DECALS)
- GENERAL SIGNAGE
- INDOOR
- OUTDOOR

Printing Tips

- SOLVENT
- ECO-SOLVENT
- LATEX
- UV CURABLE
- SCREEN

Important Note

Technical Fact Sheet



All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

[General Formulations SAV GF 255 3_year Optimark](#)

Technical Fact Sheet

