

Technical Fact Sheet



GF WindowMark 260 261 270 280



Features

GF 260:

- A 6.0 mil perforated high performance vinyl film with a white print side and a black see through side coated
- A clear low tack repositionable removable solvent acrylic pressure sensitive adhesive designed for exterior/outside mounted one way view-through window graphics(60/40)
- Accepts a variety of wide format digital printing inks including solvent, eco-solvent, UV and Latex

Technical Fact Sheet



- The dual layflat liner construction, perforated/solid liner, offers good dimensional stability in a variety of ambient conditions and is cross compatible with wide-format digital inkjet printer platforms including UV
- Designed to cleanly remove from glass with little to no adhesive residue

GF 261:

- A 6.0 mil perforated high performance clear vinyl film with a clear low tack repositionable removable solvent acrylic pressure sensitive adhesive designed for interior/inside mounted one way view-through window graphics(60/40)
- Accepts a variety of wide format digital printing inks including solvent, eco-solvent, UV and Latex
- The dual layflat liner construction, perforated/solid liner, offers good dimensional stability in a variety of ambient conditions and is cross compatible with wide-format digital inkjet printer platforms including UV
- Designed to cleanly remove from glass with little to no adhesive residue

GF 270:

- A 6.0 mil perforated high performance vinyl film with a white print side and a black see through side coated
- A clear low tack repositionable removable solvent acrylic pressure sensitive adhesive designed for exterior/outside mounted one way view-through window graphics(70/30)
- Accepts a variety of wide format digital printing inks including solvent, eco-solvent, UV and Latex
- The dual layflat liner construction, perforated/solid liner, offers good dimensional stability in a variety of ambient conditions and is cross compatible with wide-format digital inkjet printer platforms including UV
- Designed to cleanly remove from glass with little to no adhesive residue

GF 280:

- A 6.0 mil perforated high performance vinyl film with a white print side and a black see through side coated
- A clear low tack repositionable removable solvent acrylic pressure sensitive adhesive designed for exterior/outside mounted one way view-through window graphics(80/20)
- Accepts a variety of wide format digital printing inks including solvent, eco-solvent, UV and Latex
- Offers good dimensional stability in a variety of ambient conditions and is cross compatible with wide-format digital inkjet printer platforms including UV
- Designed to cleanly remove from glass with little to no adhesive residue

Technical Fact Sheet



Application Text

GF 260

- POP/RETAIL
- WINDOW
- GENERAL SIGNAGE
- INDOOR
- OUTDOOR

GF 261

- POP/RETAIL
- WINDOW
- GENERAL SIGNAGE
- INDOOR

GF 270

- POP/RETAIL
- WINDOW
- GENERAL SIGNAGE
- INDOOR
- OUTDOOR

GF 280

Technical Fact Sheet



- POP/RETAIL
- WINDOW
- GENERAL SIGNAGE
- INDOOR
- OUTDOOR

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

[General Formulations WindowMark GF 260](#)

[General Formulations WindowMark GF 261](#)

[General Formulations WindowMark GF 270](#)

[General Formulations WindowMark GF 280](#)