

Technical Fact Sheet



GF SAV 5 yr 201 203

GF 201 & 203 OP / OPAE Matte & Gloss Calendered Films are better than ever with the addition of a new grey solvent adhesive. The new solvent adhesive improves up on the already great performance of GF 201 Matte and GF 203Gloss. Both products are available in Air Egress (OPAЕ) and Non-Air Egress (OP) options and are compatible across Eco-Solvent, Solvent, Latex, and UV print systems.



Features

- 99% Opacity with Excellent Hiding Power
- Resistant to Chemicals & Cleaning Agents
- Designed for More Demanding & Durable, Long-Term Applications
- Lower Initial Tack for Better Repositionability
- Air Egress Option (OPAЕ) for Quick, Easy, Bubble-Free Applications

Technical Fact Sheet



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Printing Tips

Please refer to [GF ICC Print Profile](#)

Print Process

Solvent

Technical Fact Sheet



Eco-Solvent

Latex

UV Curable

Screen

Offset (UV Curable)

Application Text

General Signage

POP & Indoor Signage

Technical Fact Sheet



Technical Data

Please refer to [GF Technical Data](#)

Technical Fact Sheet

