

Technical Fact Sheet



Stickler Jet Gloss Z-22

Stickler Jet Gloss Z-22 is an inkjet gloss paper is particularly developed for inkjet printing and combines a high print quality with the durability of films.



Features

- Gloss label developed for inkjet printing
- Quick drying time
- Enhanced moisture resistance
- Full colour, fast turnaround printing

Technical Fact Sheet



Application Text

- For use where water-based inkjet labels are needed

Print Process

The face material is designed to give excellent density, print definition and vivid colours with photo ink. Quick drying and enhanced moisture resistance offer good handleability after printing.

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

Technical Fact Sheet



Face Material

Grammage 95 gr/m² ISO 536

Thickness 110 µm ISO 534

Adhesive – Z-22

Service temperature -15°C - +70°C

90° peel 1.7 g/25mm

180° peel 1.7 FTM1

Holding power 24 hr/kg/20mm²

Initial Tac 10N FTM9

Liner – White Glassine

Grammage 60 gr/m² ISO 536

Thickness 55 µm ISO 534

Technical Fact Sheet

