

Technical Fact Sheet



Stickler Crystal Clear

Stickler Crystal Clear is a clear Polypropylene top coated film designed for label clarity with exceptional "no label" effect. Supplied with good stability to allow optimum print results and label performance giving the stock a cloud free/high resolution finish.



Features

- Top coated 50ums clear on clear.
- AP2000 (UV Acrylic) permanent adhesive designed to remain cloud free in moist, steam and condensated applications.
- Supplied with a 30ums clear PET Liner

Technical Fact Sheet



Application Text

Recommended for labels where a 'no-label look' face-stock is required, such as prime labels for:

- Appliances
- Body care
- Food and beverages
- Household chemicals
- Toys

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Print Process

Technical Fact Sheet



Flexography, letterpress, screen, offset and thermal transfer

Backing

PET 30 – 1 side siliconised polyester lining

Properties Result

Weight 42 gsm $\pm 10\%$ PP-032 – ISO 536

Thickness 30 microns $\pm 10\%$ ISO 534

Technical Fact Sheet



Technical Data

Face Material:

Technical Fact Sheet



Properties	Test Method	Result
------------	-------------	--------

Grammage	g/m ²	45 g/m ²
----------	------------------	---------------------

Caliper	Micron	50 microns
---------	--------	------------

UV Exposure		6 mths, depending on ink coverage
-------------	--	-----------------------------------

Adhesive:

AP2000 Acrylic Permanent: Permanent pure acrylic adhesive featuring excellent clarity (non-whitening). High water, steam, UV, chemicals and temperature resistance. Ideal for “no label look” effect. Good adhesion on apolar substrates (like PE and PP).

Properties	Test Method
------------	-------------

Composition	Water based acrylic
-------------	---------------------