

# Technical Fact Sheet



## Nettuno Bianco

Nettuno Bianco is an uncoated felt-marked speciality paper that offers a tactile experience. It is also FSC® certified.



---

### Features

- Acid free, archival and pH Neutral
- Digital version HP Indigo certified and dry toner compatible
- FSC® Mix certified
- ISO 9706 permanence for paper - archival
- Produced with ECF Pulp
- Text and cover

# Technical Fact Sheet



- Uncoated felt marked paper

---

## Environmental Credentials



Nettuno Bianco Artico SPI is a FSC® Mix certified paper, which ensures that all pulp is derived from well-managed forests. It is elemental chlorine free, and manufactured by an ISO 14001 certified mill.

---

## Spicers Key Icons

[Download Spicer's icons](#)

# *Technical Fact Sheet*



---

## **Application Text**

- Archival
- Books
- Brochures
- Catalogues
- Certificates
- Corporate identity
- Direct mail
- Flyers
- Invitations
- Stationery

---

## **Printing Tips**

We always recommend that the sheet is test and trialled before commencing a print job. This is to determine that the sheet is suitable for the particular machine and the particular print job.

# Technical Fact Sheet



---

## Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

---

## Size Availability

### Colour GSM

White 140, 280

# Technical Fact Sheet



## Technical Data

Properties	UOM	Test method	Results	
Grammage	g/m <sup>2</sup>	ISO 536	140	280
Thickness	um	ISO 534	204	399
Bending Stiffness CD	mNm	ISO 2493	8	100
Bending Stiffness MD	mNm	ISO 2493	18	200
Breaking Length CD	m	ISO 1924	2700	2400