

Technical Fact Sheet



Mimaki LH100 Ink

Mimaki LH-100 Hard UV Curable Ink is specifically designed for use with the JFX200 and JFX500 Mimaki printers. The LH-100 UV product is a "hard" ink - meaning it still provides all the expected capabilities of UV printer ink but is optimised to meet demands for rigid media and substrates. This ink is highly resistant to scratching and chemicals and is perfect for applications that don't require secondary processing - such as bending and twisting.



Features

- Vibrant colour results
- 100% printed area flexibility (does not stretch)
- Abrasion scratch and chemical resistant
- Hard UV ink, optimised for printing on rigid substrates
- Environmentally friendly ink
- Virtually instant curing and drying post-print

Technical Fact Sheet



Application Text

- Designed to print on various rigid medias, such as metal, glass and wood
- Also suited for heat-sensitive materials, such as acrylic board, PVC and PET
- Available in 220ml, 600ml and 1L bottles and 7 different colours

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

[Visit Mimaki LH100 Ink Product Page](#)

Technical Fact Sheet



Technical Fact Sheet

