

# Technical Fact Sheet



## Eclipse Greyback

High quality duplex board with a smooth white clay coated top surface, and natural grey shade sealed reverse. Fully recyclable, biodegradable and FSC® Certified.



---

### Features

- 100% recycled fibres
- Clay coated smooth surface
- Natural grey sealed reverse side
- Excellent rigidity
- Food contact safe to FDA standards
- FSC® certified (licensed code FSC® C010628)

# Technical Fact Sheet



---

## Application Text

- Food packaging
- Fast moving consumer goods
- Pet food packaging
- Detergent packaging
- Confectionery
- Point of sale displays
- Folders
- CD Wallets
- Cards

---

## Printing Tips

- Sheet fed offset
- Flexographic
- Screen printing
- Folding / creasing / scoring
- Die-cutting
- Embossing
- Foiling
- Gluing

# *Technical Fact Sheet*



---

## **Important Note**

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

# *Technical Fact Sheet*



## Technical Data

# Technical Fact Sheet



Grammage GSM	Thickness UMS	Bending Stiffness CD (g/cm)	Bending Stiffness MD (g/cm)	Moisture Content %	Gloss Top %	Brightness Top %	Bursting Strength Kgf/cm <sup>2</sup>	Folding Strength MD / CD (time)
250	295	25	60	6.5	65	77	4.0	15up/7up
300	370	45	105	6.6	65	77	5.0	15up/7up
350	440	70	180	7.0	65	77	5.8	15up/7up
400	505	100	250	7.9	65	77	6.5	15up/7up
450	573	130	300	8.4	65	77	7.0	15up/7up
500	640	180	420	8.4	65	77	7.5	15up/7up

\*The values presented are a guide and are subject to change without notice. Other grammages available on indent.