

Technical Fact Sheet



Proxima HB

This premium smooth high white, double coated hi-bulk bleach board provides excellent press performance and is designed for all quality packaging applications



Features

- Hi-bulk bleached board
- High white shade
- Premium double coated surface
- Reverse side hard sized for freezer applications
- Exceptional yield
- Direct food contact safe

Technical Fact Sheet



- Light weight without compromising stiffness and rigidity
- Extensive grammage offering

Environmental Credentials

- PEFC
- Freezer safe
- Direct Food Contact Safe
- IS14001 Environmental Management Systems
- ISO 9001 Quality Management Systems
- Stock Converted 24/7
- Reels available

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

Technical Fact Sheet



Grammage GSM	Thickness UMS	Bending Stiffness CD mNm	Bending Stiffness MD mNm	Moisture Content %	Gloss Top %	Brightness Top %	Cobb Test (60s) Top g/m ²
200	320	3.2	6.7	6.5	40	93	40
220	355	4.2	8.4	6.5	40	93	40
250	410	6.2	11.5	6.5	40	93	40
270	455	7.7	15.3	6.5	40	93	40
295	505	10	20.3	6.5	40	93	40
325	555	12.3	25	6.5	40	93	40
360	625	16.9	34.5	6.5	40	93	40

Technical Fact Sheet

