

Technical Fact Sheet



Whitehorse Greyback

This high quality duplex board has an exceptionally smooth clay coated top surface and light grey shade sealed reverse.



Features

- FSC Recycled Credit (Available from Jan 2022)
- Clay coated smooth surface
- Natural grey sealed reverse side
- Excellent rigidity
- Food contact safe to FDA standards
- Sealed reverse

Technical Fact Sheet



Environmental Credentials

- FSC Recycled Credit (Available from Jan 2022)
- Clay coated smooth surface
- Natural grey sealed reverse side
- Excellent rigidity
- Food contact safe to FDA standards
- Sealed reverse

Application Text

- Food packaging
- Fast moving consumer goods
- Pet food packaging
- Detergent packaging
- Confectionery

Printing Tips

Technical Fact Sheet



- Sheet fed offset
- Flexographic
- Screen printing
- Folding / creasing / scoring
- Die-cutting
- Embossing
- Foiling
- Gluing

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

Technical Fact Sheet



| Grammage GSM | Thickness UMS | Bending Stiffness CD mNm | Bending Stiffness MD mNm | Moisture Content % | Gloss Top % | Brightness Top % | Bursting Strength Kgf/cm ² | Crush Strength MD / CD kgf |
|-----------------|------------------|--------------------------------|--------------------------------|--------------------------|----------------|------------------------|---|----------------------------------|
| 250 | 300 | 2.6 | 7.1 | 7.5 | 50 | 76 | 3.8 | 65 / 29 |
| 300 | 370 | 5.6 | 13.3 | 7.5 | 50 | 76 | 4.5 | 83 / 37 |
| 350 | 440 | 7.7 | 18.4 | 7.5 | 50 | 76 | 5 | 93 / 41 |
| 400 | 505 | 9.7 | 25.5 | 7.5 | 50 | 76 | 5.5 | 105 / 47 |
| 450 | 565 | 14.8 | 36.7 | 7.5 | 50 | 76 | 6 | 120 / 52 |
| 500 | 640 | 16.8 | 44.9 | 7.5 | 50 | 76 | 6.5 | 130 / 58 |
| 550 | 710 | 18.9 | 52 | 7.5 | 50 | 76 | 7 | 140 / 64 |