

Technical Fact Sheet



EnShield

EnShield natural kraft is a planet friendly uncoated kraft board. The 12 kit coating has exceptional oil/grease resistance to prevent unappetizing packaging stains. The coating also acts as a moisture vapour barrier critical for bakery applications with a longer shelf life. Produced with up to 15% recycled fibre. EnShield is also 100% recyclable, repulpable and proudly polyethylene.



Features

- Smooth top surface for cleaner, sharper images
- Great runnability, extremely clean on press
- Strong and durable
- Produced with up to 15% recycled fibre
- Suitable for freezer and bakery applications
- Direct food contact safe

Technical Fact Sheet



- Fully recyclable

Application Text

- Food packaging
- Beverage packaging
- Takeout packaging
- Bakery packaging
- Chocolate and Confectionery packaging
- Pharmaceutical
- Gift Boxes
- Health and Beauty

Printing Tips

- Sheet-fed Offset
- Flexographic
- Digital printing
- Screen printing
- Folding / creasing / scoring

Technical Fact Sheet



- Die-cutting
- Embossing
- Foiling
- Gluing

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

Technical Fact Sheet



Grammage GSM	Thickness UMS	Bending Stiffness CD (Taber 15)	Bending Stiffness MD (Taber 15)
351	457	13.7	27
381	508	17.2	34.3