

Technical Fact Sheet



Viewshade Classic 95

Viewshade Classic 95 is a traditional 2x2 woven, PVC coated Polyester yarn. The great all-round product that has been a staple in external blinds, perfectly balanced, offering protection & privacy from the elements while maintaining excellent views.



Features

[Download Viewshade Classic 95 Technical data](#)

Technical Fact Sheet



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

Technical Fact Sheet



Technical Specifications	Average Values	Standard
Composition	24% Twisted Polyester Core / 76% PVC Coating	ISO 1833-1:2006
Construction	2x2 Basket Weave	
Weight	615 gsm \pm 5% Nominal	ISO 3081-1977
Thickness	0.90 mm \pm 5% Nominal	ISO 5084-1996
Openness Factor	5%	
Warranty	10 Year	
Fabric Pick Count (per sq.inch)	Warp 36 x Weft 30	ISO 7211/2-1984
Tensile Strength (daN/5cm)	Warp 260 / Weft 212 \pm 5%	ISO 1421/1-2003
Tearing Strength (daN)	Warp 11 / Weft 8.7 \pm 5%	ISO 4674-1977
Colorfastness to light	Grade 7-8	ISO 105 B02:1994
	OEKO-TEX Standard 100	
	Greenguard Gold	
Environment	Mildew & Salt water resistant	
	Anti-Bacteria	
	Fragrance Free	
	Non-Toxic	

Technical Fact Sheet



FR Properties

(Australian Standard Test Results)

Flammability Index

3

AS1530.2 –
1993

Ignitability Index

17

AS1530.3 –
1999

Spread of Flame index

0

Heat Evolved Index

2

Smoke Developed Index

7