

Technical Fact Sheet



Viewshade Urban 97

Viewshade Urban 97 is a traditional 2x2 woven, PVC coated Polyester yarn. A tighter weave construction produces improved wind and rain protection, greater heat reduction, UV and glare from direct sunlight. Best of all, maintains views.



Features

[Download Viewshade Urban 97 Technical data](#)

Technical Fact Sheet



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

Technical Fact Sheet



Technical Specifications	Average Values	Standard
Composition	24% Twisted Polyester Core / 76% PVC Coating	ISO 1833-1:2006
Construction	2x2 Basket Weave	
Weight	655 gsm \pm 5% Nominal	ISO 3081-1977
Thickness	0.93 mm \pm 5% Nominal	ISO 5084-1996
Openness Factor	3%	
Warranty	10 Year	
Fabric Pick Count (per sq.inch)	Warp 36 x Weft 33	ISO 7211/2-1984
Tensile Strength (daN/5cm)	Warp 262 / Weft 231 \pm 5%	ISO 1421/1-2003
Tearing Strength (daN)	Warp 11 / Weft 9.3 \pm 5%	ISO 4674-1977
Colorfastness to light	Grade 7-8	ISO 105 B02:1994
Environment	OEKO-TEX Standard 100 Greenguard Gold	

Technical Fact Sheet



Mildew & Salt water
resistant

Anti-Bacteria

Fragrance Free

Non-Toxic

FR Properties

(Australian Standard Test
Results)

Flammability Index	AS1530.2 – 1 1993
-----------------------	----------------------

Ignitability Index 16	AS1530.3 – 1999
-----------------------------	--------------------

Spread of Flame index	0
--------------------------	---

Heat Evolved Index	1
-----------------------	---

Smoke Developed Index	7
--------------------------	---