

Technical Fact Sheet



Mimaki TX500P-3200DS

The Mimaki TX500P-3200DS considerably reduces production time through the simultaneous processing of two operations, printing and color fixation, and can meet various needs from samples to large-lot production within quick delivery times. The 3.2-m-wide direct sublimation Tx500P-3200DS inkjet printer is suitable for printing on wide fabrics used for creating soft signage or on home furnishing products, and its unique simultaneous printing and color fixation capability, expands business opportunities.



Features

- Printing and colour fixation occur in a single printer unit
- 3.2 m Super Wide Printer
- Maximum printing speed (130m²/h) enables high productivity
- Reliable structure and technique achieves speed printing
- Stable textile transportation assures accurate printing
- Waveform control technique assures beautiful printing

Technical Fact Sheet



- MAPS4 delivers stable high-quality printing
- Uninterrupted printing solutions
- NCU automatically detects and recovers clogged nozzles
- NRS continues printing operations
- Ink supply unit enables long-time continuous printing

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

[Download Mimaki TX500P-3200DS Operation Manual](#)

Technical Fact Sheet



Technical Fact Sheet

