Technical Fact Sheet

Spicers

3M Scotchshield ULTRA S600

Keep outside dangers securely outside with 3M Scotchshield Safety Security Window Film Ultra Series. Micro-layered, tear- resistant film in 2 thickness (S600, S800) for enhanced protection of people, property and possessions. Mitigates hazards from shattered glass due to natural disasters. Helps protect people from flying glass shards, one of the most common causes of blast related injuries and fatalities, can bring glass up to AS2208 Safety Standards. Increases security and helps provide added protection against smash and grab burglaries Can be combined with 3M Impact Protection Attachment Systems for additional safety and security. Helps extend the life of furnishings by significantly reducing harmful UV rays, the largest cause of fading. Comprehensive warranty from 3M (12 Years Commercial &amp Limited Lifetime Residential).

Features

- Mitigates hazards from shattered glass during natural disasters
- Helps protect people from flying glass shards, one of the most common causes of blast-related injuries and fatalities
- Micro-layered and tear-resistant to help increase security and provide added protection against smash and grab burglaries
- Combine with 3M™ Impact Protection Attachment Systems for additional safety and security

Technical Fact Sheet

Spicers

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet

Spicers

Technical Data

https://www.3m.com/3M/en_US/company-us/all-3m-products/?N=5002385+8709314+8710037+8710654+8710938+8711017+8721691+3292716682&rt=rud

Technical Fact Sheet

Spicers

Technical Fact Sheet

Spicers