

Technical Fact Sheet



3M 8993 Anti Graffiti

3M 8993 Anti-Graffiti is a durable, glossy, extruded polyester, surface protection film designed to protect graphics and surfaces from graffiti. This film prevents scratches from damaging the under-surface by providing a protective barrier. It can withstand harsh solvents that are needed to remove the graffiti. Suitable only for flat surfaces without rivets.



Features

- Clear, anti graffiti, high gloss 25um polyester overlamine with a clear permanent adhesive and kraft liner
- Recommended for use on flat & simple surfaces only
- Graphic protection for IJ180c, 680CR, IJ40C, IJ40,780mc, IJ180mc, IJ35C, IJ35
- Superior resistance against harsh solvents
- Up to 5 year unprinted vertical durability
- It is recommended to give additional time for out gasing solvent ink when laminating with a polyester (PET) film

Technical Fact Sheet



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

Please refer to https://www.3m.com.au/3M/en_AU/graphics-signage-au/resources/commercial-graphics-technical-information/

Colour Profiles: https://www.3m.com.au/3M/en_AU/graphics-signage-au/resources/colour-profiles/

Technical Fact Sheet



Technical Fact Sheet

