

# Technical Fact Sheet



## 3M 8428

3M™ Gloss Wrap Overlaminate 8428G is designed for vehicles with graphic manufacturers and installers in mind. Highly conformable for compound curves and deep recesses, this 1.2 mil (30 µm) overlaminate delivers exceptional performance, productivity, and enhanced UV durability. Backed globally by the 3M™ MCS™ Warranty, 3M™ Gloss Wrap Overlaminate 8428G helps you get the job done quickly and get it done right — the first time. For additional performance benefits, use this overlaminate with 3M™ Print Wrap Film IJ280.



---

## Features

- Exceptional performance and productivity when paired with 3M™ Print Wrap Film IJ280
- Enhanced UV durability
- Excellent lifting resistance
- Highly conformable for compound curves and deep recesses

# Technical Fact Sheet



---

## Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

---

## Printing Tips

Please refer to [3M ICC Print Profile](#)

# *Technical Fact Sheet*



## **Technical Data**

Please refer to [3M Technical Data](#)

# *Technical Fact Sheet*



# *Technical Fact Sheet*

