

Technical Fact Sheet



GF LAM DryErase 110/111

GF LAM DryErase 110/111 is a dry erase overlamine series that creates an erasable surface on any printed wide-format graphic. Available in gloss and satin finishes and compatible with solvent, eco-solvent, and UV printed graphics, it is ideal for printed dry erase boards, interactive signage, and office display.



Features

GF 111 Erasemark

- Clear Dry Erase Polypropylene
- 2.0 mil
- Emulsion Acrylic Adhesive
- White Clay Coated Kraft release liner
- Indoor only with up to 6 months durability

Technical Fact Sheet



GF 110 Erasemark Pro

- Clear Dry Erase Polyester
- 2.0 mil
- Solvent Acrylic Adhesive
- White PE-Coated Kraft release liner
- Indoor only with up to 5 years durability

Application Text

- General signage
- POP and indoor signage
- Windows
- Walls

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of

Technical Fact Sheet



the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

[Download GF LAM DryErase 110 technical data](#)

[Download GF LAM DryErase 111 technical data](#)

Technical Fact Sheet

