

Technical Fact Sheet



GF SAV 790AE Etched Glass

GF 790 Light Etch Cut & Craft is a 3.0 mil gloss polymeric light glass etch vinyl coated with a permanent solvent acrylic pressure sensitive adhesive on a 78# clay-coated liner. This product is designed to give the frosted effect or an impression of etched, cut or sandblasted glass. GF 790 is designed for roll-fed plotter cut vinyl graphics as well as sheeted material for home craft applications.



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Print Process

UV Curable

Screen

Printing Tips

Please refer to [GF ICC Print Profile](#)

Features

- 3.0 mil gloss polymeric light glass etch vinyl
- Coated with permanent solvent acrylic pressure-sensitive adhesive
- 78# clay-coated liner for added stability
- Creates a frosted effect or the look of etched, cut, or sandblasted glass
- Ideal for roll-fed plotter cutting and vinyl graphics
- Suitable for sheeted material in home craft applications

Technical Fact Sheet



Technical Fact Sheet



Technical Data

Please refer to [GF Technical Data](#)

Technical Fact Sheet

