

Technical Fact Sheet



GF SAV PET Holographic

<div>GF 767 Rainbow Holographic is a 6.0 mil holographic film coated with a permanent acrylic pressure sensitive adhesive on a 90# layflat liner. GF 767 Sparkle Holographic is a 6.0 mil holographic film coated with a permanent acrylic pressure sensitive adhesive on a 90# layflat liner. The 90# liner provides excellent dimensional stability for digital printing. This film accepts a variety of solvent-based, eco-solvent, latex and UV curable inks common to wide format digital printing systems.</div>



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Print Process

Solvent

Eco-Solvent

Latex

UV Curable

Thermal Transfer

Screen

Offset (UV Curable)

Features

- Colorful Sparkle Effect Changes with Light
- Great for Decals, POP, Retail, Displays, and Holiday Graphics
- 6.0 Mil Thick for Easy Applications
- 90# Layflat Liner for Consistent Printability
- Excellent printability with Solvent, Eco-Solvent, UV and Latex Inks

Technical Fact Sheet



Printing Tips

Please refer to [GF ICC Print Profiles](#)

Application Text

POP/Retail

Windows

Indoor Signage

Outdoor Signage (Short-term)

Technical Fact Sheet



Technical Data

[Download GF SAV PET Holographic technical data](#)

Technical Fact Sheet

