

Technical Fact Sheet



3M 467MP Tape

3M™ Adhesive Transfer Tape 467MP is a 200MP high performance acrylic adhesive on 107 micron 26 kg polycoated kraft liner Graphic attachment and general industrial joining. Industry standard. Excellent die-cut and process capabilities.



Features

- 51 micron adhesive transfer tape with acrylic adhesive on a polycoated kraft paper liner. Excellent shear strength, temperature resistance and chemical resistance
- Ideal for graphic and nameplate attachment. Easy to die-cut and process
- Ideal for graphic and nameplate attachment. Easy to die-cut and process
- Excellent moisture and solvent resistance. Excellent high temperature resistance and shear strength. UV resistant. Easy to apply

Technical Fact Sheet



Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

Please refer to [3M Technical Data](#)

Technical Fact Sheet



Technical Fact Sheet

