

Technical Fact Sheet



Pacesetter Self Adhesive Cast Coated Digital

Pacesetter Self Adhesive Cast Coated Digital is a one-sided cast coated paper, with a mirror-like finish that produces excellent print results through its high gloss and whiteness. It is dry toner compatible.



Features

- High gloss, white, smooth, mirror like finish
- Acrylic permanent, removeable, freezer and wine permanent adhesives
- Dry Toner compatible

Technical Fact Sheet



Spicers Key Icons

[Download Spicer's icons](#)

Application Text

- High impact labels and signage
- Large window stickers
- POP advertising
- Promotional and general labelling
- Promotional labels

Printing Tips

CCP(P) for product preferred high gloss smooth finish, the surface has a mirror look appearance with a light reflecting effect . Micro porosity surface is special designed for evenly ink absorption with best printing result. Well suited for promotional and general labeling.

Technical Fact Sheet



The substrate should be free of dust and lubricant before applying. Please use once unwrapped, if there are remains they need to be wrapped by an OLT wrapper. This product should be tested thoroughly under use condition to ensure it meet the requirement of the specific application.

We always recommend that the sheet is test and trialled before commencing a print job. This is to determine that the sheet is suitable for the particular machine and the particular print job.

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Storage

Shelf life is 2 years when stored at 23 oC, 50 % RH, in the original packaging.

Technical Fact Sheet



Print Process

- Letterpress
- Offset
- Flexography
- Silkscreen
- Hot Foil Stamping
- UV Varnish

Size Availability

Options	Type
Permanent, Freezer, Removable, Wine	Solid, Split

Technical Fact Sheet



Technical Data

Face stock material technical data:

Basis weight (g/m²) 80 ISO 536

Thickness(μm) 88 ISO 534

Backing technical data:

Basis weight (g/m²) 82 ISO 536

Thickness(μm) 87 ISO 534

Pacesetter Self Adhesive Cast Coated Split Back

X-Type is a permanent acrylic adhesive, emulsion water based, offering a perfect combination of initial tack and stronger adhesive strength, and an outstanding adhesion to most substrate that also rough surface can be used . X-Type is a multipurpose which stronger adhesive suitable for high converting speeds, achieving optimal dispensing. And recommend to use onto smooth and curve substrate that diameter is ≥ 25 mm. The adhesive complies with FDA regulation in 21 C.F.R. Section 175.105 for indirect contact application as the label that were intended to be use on the outside of food packaging material.