

Technical Fact Sheet



GF SAV/LAM 248 7yr

GF 248 Print-n-Lam™ is a 3.0 mil matte clear UV polymeric vinyl with clear permanent adhesive on a 90# layflat liner. GF 248 is designed to accept a variety of solvent, latex and UV curable inks common to wide format digital printing systems. It is specifically engineered for use in general signage, windows, and decal applications. GF 248 is ideal for printing or flat laminating.



Print Process

Solvent

Eco-Solvent

Latex

Technical Fact Sheet



UV Curable

Offset (UV Curable)

Printing Tips

Please refer to [GF ICC Print Profile](#)

Application Text

General Signage

POP & Indoor Signage

Windows

Technical Fact Sheet



Features

- 3.0 mil matte clear UV polymeric vinyl
- Coated with clear permanent adhesive
- Laminated to a 90# layflat liner for stability
- Compatible with solvent, latex, and UV curable inks
- Designed for wide-format digital printing systems
- Ideal for general signage, window graphics, and decal applications
- Suitable for both printing and flat laminating

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Technical Fact Sheet



Technical Data

Please refer to [GF Technical Data](#)

Technical Fact Sheet

