

Technical Fact Sheet



3M Envision Laminate 8548G

3M Envision Laminate 8548G is versatile enough to wrap everything from vehicles to trailers, boats or textured buildings. This film is an environmentally friendly option for those looking for a greener solution. It is on par with overlamine 8518 with excellent high gloss and clarity. With excellent lifting resistance and high conformability, the 3M Envision Laminate 8548G can stretch to 150%.



Features

- New 3M Envision high performance non-PVC high gloss wrap overlamine with a polyester liner and clear permanent adhesive
- Less prone to scratching
- Up to 8 year unprinted vertical durability
- Exceptional conformability and lifting resistance
- Superior UV and acid dew protection
- For use with Envision Print Wrap Film IJ380Cv3 & IJ180C, IJ180Cv3, LX480mc, 5V480mc

Technical Fact Sheet



- [Download Fire Rating certificate](#)

Important Note

All statements, technical information and recommendation are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties of merchantability and fitness for the purpose: Sellers and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Size Availability

Technical Fact Sheet



Technical Data

Please refer to https://www.3m.com.au/3M/en_AU/graphics-signage-au/resources/commercial-graphics-technical-information/

Colour Profiles: https://www.3m.com.au/3M/en_AU/graphics-signage-au/resources/colour-profiles/

Technical Fact Sheet



Technical Fact Sheet

